ELSEVIER

Synthetic Metals 106 (1999) 203

SYNTHETIC METALS

www.elsevier.com/locate/synmet

Author Index of Volume 106

Aboutanos, V., 89
Alexandrowicz, G., 151
Amalnerkar, D.P., 45, 53
Andersson, A., 13
Appel, G., 187

Bao, Z.X., 107
Barisci, J.N., 89
Berlin, A., 197
Bolognesi, A., 183
Botta, C., 183

Cecchinato, L., 183
Chang, C.H., 139
Chang, J.C., 139
Chang, R., 139
Chen, S.A., 139
Chen, Z., 165
Chowdhury, A., 85
Chuang, K.R., 139
Cocchi, M., 183

De la Plaza, M.A., 121
Dormann, E., 151
Drichko, N.V., 29

Fan, L., 111
Fann, W.S., 139
Fattori, V., 183
Fukuhara, S., 67
Fukuyama, M., 39

Gabay, A., 151
Gong, M.-S., 177
Graja, A., 29
Grayevsky, A., 151
Gritsenko, V.V., 29

Haba, Y., 59
Hayashi, M., 139
Heeger, A.J., 35, , 165
Hernández Fuentes, I., 121
Hirao, T., 67
Holmes, A.B., 13
Horiuchi, S., 75
Hotta, S., 39
Hsu, J.H., 139
Hu, X., 145
Huang, J., 71
Huang, W., 165

Izquierdo, M.C., 121

Jeszka, J.K., 75
Jiang, J.C., 139

Kahol, P.K., 107
Kale, B.B., 53
Kane-Maguire, L.A.P., 89, 129, 171
Kang, E.T., 1
Kaplan, N., 151
Kocherginsky, N.M., 19
Kryszewski, M., 75
Kugler, T., 13

Lee, C.-W., 177
Lee, C.H., 35
Lee, S.A., 39
Lee, Y.Z., 139
Li, C., 71
Li, H., 111
Li, S., 1
Li, X., 13
Li, Y., 71
Lim, V.W.L., 1
Lin, S.H., 139
Liu, C.X., 107
Liu, S., 71
Lögdlund, M., 13

MacDiarmid, A.G., 171
Marimuthu, R., 45
Mulik, U.P., 45

Narkis, M., 59
Neoh, K.G., 1
Norris, I.D., 171

Pal, A.J., 85
Park, J.Y., 35
Park, Y.W., 35
Pei, J., 165
Pinto, N.J., 107

Qin, J., 161

Rhee, H.-W., 177
Roy, M.S., 97

Sainkar, S.R., 45
Saito, G., 75
Salaneck, W.R., 13
Sánchez de la Blanca, E., 121
Saxena, D., 97
Schmeißer, D., 187
Segal, E., 59
Sharma, G.D., 97
Shen, J., 71, , 157
Siegmann, A., 59
Somani, P., 53
Somani, P.R., 45
Spitsina, N.G., 29
Srdanov, V.I., 35
Sroczyńska, A., 75
Stéphan, O., 115
Strounina, E.V., 129

Tan, K.L., 1
Tashma, T., 151
Titelman, G.I., 59
Tracz, A., 75

Ulański, J., 75

Vial, J.-C., 115

Wallace, G.G., 89, 129, 171
Wang, G., 145
Wang, Y., 71
Waplak, S., 29
Wen, L., 19
Wong, T.K.S., 145

Xiao, Y., 165
Xie, Z., 71
Xu, W., 111
Xue, G., 161

Yamaguchi, S., 67
Yamochi, H., 75
Yfantis, A., 187
Yfantis, D., 187
Yoshida, Y., 39
Yu, J., 139
Yu, W.-L., 165

Zhang, D., 111, 161
Zhang, R., 157
Zheng, H., 157
Zheng, W., 171
Zhu, D., 111
Zotti, G., 197

Elsevier Science S.A.
PII: S0379-6779(99)00164-2

ELSEVIER

Synthetic Metals 106 (1999) 205–207

SYNTHETIC METALS

www.elsevier.com/locate/synmet

Subject Index of Volume 106

Aging
Polypyrrole doped with fluoro-metal complexes: thermal stability and structural properties, 187
Aluminium deposition
In situ XPS study of thermally deposited aluminium on chemically synthesized polypyrrole films, 1
Amplified spontaneous emission
Amplified spontaneous emission from an MEH-PPV film in cylindrical geometry, 35
Aniline
Facile preparation of optically active polyanilines via the in situ chemical oxidative polymerisation of aniline, 171
Aniline polymerization
Polymerization of aniline in the presence of DBSA in an aqueous dispersion, 59
Aqueous-organic mixed solution
Effect of aqueous and organic solvent ratio on the electropolymerization of bithiophene in the mixed solutions, 145
ArV
Studies on electrical and photoelectrical behaviour of ITO/ArV/In Schottky barrier device, 97

Barium titinate ($BaTiO_3$)
Charge transport mechanism and the effect of poling on the current-voltage characteristics of conducting polyaniline–$BaTiO_3$ composites, 53
BEDO-TTF salts
Metallic polymer composites with bis(ethylenedioxy)-tetrathiafulvalene salts. Preparation–properties relationship, 75
Bisdithienylethylene
New oligomers and polymers from anodic coupling of bisdithienylethylene, 197
Bis(ethylenedithio)tetrathiafulvalene
New electron donor: bis(ethylenedithio)tetrathiafulvalene derivative with four hydroxyl groups, 111
Bithiophene
Effect of aqueous and organic solvent ratio on the electropolymerization of bithiophene in the mixed solutions, 145
Boron fluoride-ethyl ether
Studies of electrochemically deposited films from bithiophene in boron fluoride-ethyl ether, 161

C_{60}
Preparation, crystal structure and characterization of $C_{60} \cdot 2[(Ph_3P)AuCl]$, 29
C_{60} complex
Preparation, crystal structure and characterization of $C_{60} \cdot 2[(Ph_3P)AuCl]$, 29
Chemical oxidative polymerisation
Facile preparation of optically active polyanilines via the in situ chemical oxidative polymerisation of aniline, 171
Chiral polyaniline
Electrochemical preparation of chiral polyaniline nanocomposites, 89
Chiral polyanilines
Optically active sulfonated polyanilines, 129
Conducting polyaniline (PANI)
Charge transport mechanism and the effect of poling on the current-voltage characteristics of conducting polyaniline–$BaTiO_3$ composites, 53
Conducting polymer composites (CPC)
High piezoresistivity and its origin in conducting polyaniline/TiO_2 composites, 45
Conformational transition
A new coumarin derivative used as emitting layer in organic light-emitting diodes, 157
Copolymer
Blue light electroluminescent devices based on a copolymer derived from fluorene and carbazole, 115
Copolymers
Conjugated copolymers of 2-methoxy-5-2′-ethyl-hexyloxy-1,4-phenylenevinylene and 2,5-dicyano-1,4-phenylenevinylene as materials for polymer light-emitting diodes, 165
Coumarin derivative
A new coumarin derivative used as emitting layer in organic light-emitting diodes, 157
Cross-linked copolymer
Humidity sensitive properties of copolymers containing phosphonium salts, 177
Crystallization
Metallic polymer composites with bis(ethylenedioxy)-tetrathiafulvalene salts. Preparation–properties relationship, 75
Cylindrical geometry
Amplified spontaneous emission from an MEH-PPV film in cylindrical geometry, 35

Dew sensor
Humidity sensitive properties of copolymers containing phosphonium salts, 177
Displacement
Effects of displacement and distortion of potential surfaces on absorption and emission spectra of MPV oligomer in solutions, 139
Distortion
Effects of displacement and distortion of potential surfaces on absorption and emission spectra of MPV oligomer in solutions, 139
Dopant
In situ XPS study of thermally deposited aluminium on chemically synthesized polypyrrole films, 1
Doping-dependent
Doping-dependent ion selectivity of polyaniline membranes, 19

Effect of solvent compositions
Effect of aqueous and organic solvent ratio on the electropolymerization of bithiophene in the mixed solutions, 145
Electrochemical
Effect of aqueous and organic solvent ratio on the electropolymerization of bithiophene in the mixed solutions, 145

Elsevier Science S.A.
PII: S0379-6779(99)00165-4

Electrochemical preparation
Electrochemical preparation of chiral polyaniline nanocomposites, 89
Electrochemical studies
Electrosynthesis, electrochemical behavior and structure of poly[bis(phenoxyphosphazene)]-polypyrrole doped composite film, 121
Electroluminescence
Transient electroluminescence from rubrene light-emitting diodes using double voltage pulse, 85
Blue light electroluminescent devices based on a copolymer derived from fluorene and carbazole, 115
Poly(3-pentylmethoxythiophene)/Alq3 heterostructure light emitting diodes, 183
Electron donor
New electron donor: bis(ethylenedithio)tetrathiafulvalene derivative with four hydroxyl groups, 111
Electropolymerisation
Optically active sulfonated polyanilines, 129
Electropolymerization
Electrosynthesis, electrochemical behavior and structure of poly[bis(phenoxyphosphazene)]-polypyrrole doped composite film, 121
ESR
Preparation, crystal structure and characterization of $C_{60} \cdot 2[(Ph_3P)AuCl]$, 29

Fluorene
Blue light electroluminescent devices based on a copolymer derived from fluorene and carbazole, 115
Fluoro-aluminates
Polypyrrole doped with fluoro-metal complexes: thermal stability and structural properties, 187
Fluoro-titanates
Polypyrrole doped with fluoro-metal complexes: thermal stability and structural properties, 187
Fluoro-zirconates
Polypyrrole doped with fluoro-metal complexes: thermal stability and structural properties, 187
FTIR spectroscopy
Electrosynthesis, electrochemical behavior and structure of poly[bis(phenoxyphosphazene)]-polypyrrole doped composite film, 121

Hydrogen bond
New electron donor: bis(ethylenedithio)tetrathiafulvalene derivative with four hydroxyl groups, 111
Hydroxyl group
New electron donor: bis(ethylenedithio)tetrathiafulvalene derivative with four hydroxyl groups, 111

Indium–tin-oxide
Chemical interactions at polymer interfaces: poly(*p*-xylylene-α-tetrahydrothiophene-bromide, chloride) on indium–tin-oxide, 13
Interface phenomena
Transient electroluminescence from rubrene light-emitting diodes using double voltage pulse, 85
Interfacial interactions
Chemical interactions at polymer interfaces: poly(*p*-xylylene-α-tetrahydrothiophene-bromide, chloride) on indium–tin-oxide, 13
Intrinsic oxidation state
In situ XPS study of thermally deposited aluminium on chemically synthesized polypyrrole films, 1
Ion
Doping-dependent ion selectivity of polyaniline membranes, 19
IR spectra
Preparation, crystal structure and characterization of $C_{60} \cdot 2[(Ph_3P)AuCl]$, 29

ITO
Studies on electrical and photoelectrical behaviour of ITO/ArV/In Schottky barrier device, 97

Light-emitting diodes
Transient electroluminescence from rubrene light-emitting diodes using double voltage pulse, 85
A new coumarin derivative used as emitting layer in organic light-emitting diodes, 157
Light-emitting materials
Phenyl-capped oligothiophenes: novel light-emitting materials with different molecular alignments in thin films, 39

MEH-PPV
Conjugated copolymers of 2-methoxy-5-2′-ethyl-hexyloxy-1,4-phenylenevinylene and 2,5-dicyano-1,4-phenylenevinylene as materials for polymer light-emitting diodes, 165
MEH-PPV film
Amplified spontaneous emission from an MEH-PPV film in cylindrical geometry, 35
Metallic polymer composites
Metallic polymer composites with bis(ethylenedioxy)-tetrathiafulvalene salts. Preparation–properties relationship, 75
Metal-polymer interface
In situ XPS study of thermally deposited aluminium on chemically synthesized polypyrrole films, 1
Molecular alignments
Phenyl-capped oligothiophenes: novel light-emitting materials with different molecular alignments in thin films, 39
MPV oligomer
Effects of displacement and distortion of potential surfaces on absorption and emission spectra of MPV oligomer in solutions, 139
Multiple-quantum wells
Organic multiple-quantum well white electroluminescent devices, 71

N-Alkylcarbazole
Blue light electroluminescent devices based on a copolymer derived from fluorene and carbazole, 115

Oligomer
New oligomers and polymers from anodic coupling of bisdithienylethylene, 197
One-dimensional organic conductors
Restricted electron motion in 1D organic conductors: PGSE-ESR in $(PE)_2PF_6$ and $(FA)_2PF_6$, 151
Optically active polyaniline
Facile preparation of optically active polyanilines via the in situ chemical oxidative polymerisation of aniline, 171
Organic white LEDs
Organic multiple-quantum well white electroluminescent devices, 71
Overshoot effect
Transient electroluminescence from rubrene light-emitting diodes using double voltage pulse, 85
Oxidation level
Polymerization of aniline in the presence of DBSA in an aqueous dispersion, 59

Phenyl-capped oligothiophenes
Phenyl-capped oligothiophenes: novel light-emitting materials with different molecular alignments in thin films, 39
Phosphonium salt
Humidity sensitive properties of copolymers containing phosphonium salts, 177
Photoluminescence
Poly(3-pentylmethoxythiophene)/Alq3 heterostructure light emitting diodes, 183

Piezoresistivity (Pr)
High piezoresistivity and its origin in conducting polyaniline/TiO_2 composites, 45
Piezosensitivity (S)
High piezoresistivity and its origin in conducting polyaniline/TiO_2 composites, 45
Poling
Charge transport mechanism and the effect of poling on the current-voltage characteristics of conducting polyaniline–$BaTiO_3$ composites, 53
Polyaniline
Doping-dependent ion selectivity of polyaniline membranes, 19
Pressure dependence of the resistance in polyaniline and its derivatives at room temperature, 107
Polyaniline–$BaTiO_3$ composite (PANI–$BaTiO_3$)
Charge transport mechanism and the effect of poling on the current-voltage characteristics of conducting polyaniline–$BaTiO_3$ composites, 53
Polyaniline colloids
Electrochemical preparation of chiral polyaniline nanocomposites, 89
Polyaniline doped with DBSA
Polymerization of aniline in the presence of DBSA in an aqueous dispersion, 59
Polyaniline (PANI)
High piezoresistivity and its origin in conducting polyaniline/TiO_2 composites, 45
Polybithiophene
Effect of aqueous and organic solvent ratio on the electropolymerization of bithiophene in the mixed solutions, 145
Studies of electrochemically deposited films from bithiophene in boron fluoride-ethyl ether, 161
Polymer
New oligomers and polymers from anodic coupling of bisdithienylethylene, 197
Polymeric humidity sensor
Humidity sensitive properties of copolymers containing phosphonium salts, 177
Polymer light-emitting diodes
Conjugated copolymers of 2-methoxy-5-2′-ethyl-hexyloxy-1,4-phenylenevinylene and 2,5-dicyano-1,4-phenylenevinylene as materials for polymer light-emitting diodes, 165
Poly(*p*-xylylene-α-tetrahydrothiophene-chloride)
Chemical interactions at polymer interfaces: poly(*p*-xylylene-α-tetrahydrothiophene-bromide, chloride) on indium–tin-oxide, 13
Polypyrrole
In situ XPS study of thermally deposited aluminium on chemically synthesized polypyrrole films, 1
Polypyrrole doped with fluoro-metal complexes: thermal stability and structural properties, 187
Polypyrrole-poly[bis(phenoxyphosphazene)]
Electrosynthesis, electrochemical behavior and structure of poly[bis(phenoxyphosphazene)]-polypyrrole doped composite film, 121
Polythiophenes
Poly(3-pentylmethoxythiophene)/Alq3 heterostructure light emitting diodes, 183
Potential barrier layer
Organic multiple-quantum well white electroluminescent devices, 71
Potential well layer
Organic multiple-quantum well white electroluminescent devices, 71
Pressure dependence
Pressure dependence of the resistance in polyaniline and its derivatives at room temperature, 107
Pulsed-gradient spin echo ESR
Restricted electron motion in 1D organic conductors: PGSE-ESR in $(PE)_2PF_6$ and $(FA)_2PF_6$, 151

Redox potential
New electron donor: bis(ethylenedithio)tetrathiafulvalene derivative with four hydroxyl groups, 111
Resistance
Pressure dependence of the resistance in polyaniline and its derivatives at room temperature, 107
Rubrene
Transient electroluminescence from rubrene light-emitting diodes using double voltage pulse, 85

Schottky barrier
Studies on electrical and photoelectrical behaviour of ITO/ArV/In Schottky barrier device, 97
Selectivity
Doping-dependent ion selectivity of polyaniline membranes, 19
Space charge limited conduction (SCLC)
High piezoresistivity and its origin in conducting polyaniline/TiO_2 composites, 45
Charge transport mechanism and the effect of poling on the current-voltage characteristics of conducting polyaniline–$BaTiO_3$ composites, 53
Sulfonated polyanilines
Optically active sulfonated polyanilines, 129

The electrochemical cycling stability
Studies of electrochemically deposited films from bithiophene in boron fluoride-ethyl ether, 161
Thermal elimination reaction
Chemical interactions at polymer interfaces: poly(*p*-xylylene-α-tetrahydrothiophene-bromide, chloride) on indium–tin-oxide, 13
Thin films
Phenyl-capped oligothiophenes: novel light-emitting materials with different molecular alignments in thin films, 39
Thiophene/phenylene co-oligomers
Phenyl-capped oligothiophenes: novel light-emitting materials with different molecular alignments in thin films, 39
Titanium oxide (TiO_2)
High piezoresistivity and its origin in conducting polyaniline/TiO_2 composites, 45
Transient electroluminescence
Transient electroluminescence from rubrene light-emitting diodes using double voltage pulse, 85

(Vinylbenzyl)triphenylphosphonium chloride
Humidity sensitive properties of copolymers containing phosphonium salts, 177

XPS
In situ XPS study of thermally deposited aluminium on chemically synthesized polypyrrole films, 1
Polypyrrole doped with fluoro-metal complexes: thermal stability and structural properties, 187
X-ray diffraction
Phenyl-capped oligothiophenes: novel light-emitting materials with different molecular alignments in thin films, 39